

Eating

It is important to do what you can to make sure that the person you are caring for enjoys their food and eats a healthy, balanced diet. As dementia progresses eating can become difficult for some people. However, by making a few changes you can help keep mealtimes as enjoyable and stress free as possible.

Problems with eating are common in dementia. At times, the person with dementia may refuse to open their mouth, or need to be reminded to do so. Sometimes, they may accept food but will not swallow it, or they may accept it but then spit it out. At other times, they may resist the person who is trying to feed them and push them away, or they may throw their food about or turn their head away. This can be exasperating or distressing for the person trying to feed them, but it is important not to take it personally. These reactions are not signs that the person is determined to 'wind you up' or is being deliberately difficult - they are more likely to be due to discomfort in the mouth, or to be the result of damage to the brain.

The three main tips for helping someone with dementia to eat are:

1 Keep calm

A calm, regular routine is reassuring for a person with dementia. Meals should be relaxed, unhurried occasions, so allow plenty of time and make sure that there are no distractions such as television or radio. Never try to feed a person when they are agitated, or if they are drowsy or lying down, as there is a danger of choking.

2 Be flexible

Changes in eating habits often take place as dementia progresses. Accept that mealtimes might become very different to how they used to be or how you would like them to be.

3 Help the person to feel involved

If you have to feed the person, try putting the food into their hand and guiding it to their mouth, so that you involve them in the process of eating.

Dementia affects people in different ways. However, some problems, such as appetite loss and overeating, are particularly common in people with dementia. There are many ways to help overcome these problems and ensure that the person eats a healthy, balanced diet.

Appetite loss

There are several reasons why a person with dementia may have a poor appetite or seem uninterested in eating. These include:



- Depression loss of appetite can be a sign of depression. Depression is very common; when someone becomes aware that they are in the early stages of dementia, feelings of despair and hopelessness are understandable. There are effective treatments for depression, including medication and other therapies. If you suspect that this is the problem, consult your GP. When the depression lifts, the person's appetite should return.
- Physical discomfort the person may be having problems with badly fitting dentures or sore gums, both of which will make eating uncomfortable. If you think this might be a problem, ask your dentist to check.
- Lack of exercise if the person is not very active during the day, they may not feel hungry.
 Try to encourage them to move around during the day and take part in physical activities or exercise.
- Damage to the brain in the later stages of dementia, the person may no longer be able to
 understand that the food in front of them is there to be eaten, even if they are hungry. This
 is because the nerve pathways in the brain are damaged, so the message is not getting
 through. You may need to keep reminding them to eat, or guide the food to their mouth.
- Difficulties with chewing and swallowing chewing and swallowing can become difficult as
 dementia advances. If this seems to be the case, ask your GP to put you in touch with a
 speech therapist, who may be able to offer some advice.
- Constipation this is a common problem, especially in the later stages of dementia, and
 can make the person with dementia feel bloated and confused. Try to prevent constipation
 by making sure the person eats a fibre-rich diet and drinks plenty of fluids. If constipation
 becomes a severe problem, consult your district nurse or GP.

Other things to look out for include:

- Weight loss in the later stages of dementia, weight loss is a common symptom, but we do
 not yet know why. If the person you are caring for is losing weight but is not at this
 advanced stage, consult your GP. If they are very restless and physically agitated they may
 be using more energy than the calories they are consuming, or there may be a medical
 problem.
- Appetite loss in those living alone if the person is living on their own, you may find that they are not eating any food that you have provided, or they may start hiding food. Meals on wheels may no longer be helpful because they forget to eat the meal delivered. These are signs that the person needs more help. It is possible to arrange for home carers to visit the person at mealtimes and either prepare a meal for them, or stay with them while they eat. Contact your local social services department for more information.

Overeating

Sometimes a person with dementia may eat more food than they need. This can be due to changes in the brain caused by the condition, and is often only a temporary phase. In some cases, overeating is explained by memory loss. The person may completely forget that they have eaten - even if they have just done so. If a person is eating excessive amounts, try to limit their food intake to prevent them from feeling uncomfortable after eating or becoming overweight. Sometimes a person with dementia will feel compelled to search out and consume any type



of food. Apart from the problems associated with overeating, this type of behaviour can cause the person to eat or drink unsuitable, or even dangerous, substances.

If you are trying to help prevent someone from overeating, try the following suggestions:

- Put anything that you don't want the person to consume out of sight or out of reach.
- Try to distract their attention or find a satisfying activity as a substitute for eating.
- If the person constantly seeks out food, try to provide healthy snacks such as fruit, crackers or raw vegetables.

During the later stages of dementia, some people develop a taste for specific foods. Foods with strong flavours are surprisingly popular at this stage. This is due to the physical damage to the brain and is not harmful. So long as it's healthy, try to give the person the food they want to eat. If you are worried about the nutrition of the person you are caring for, talk to your GP, who may decide to prescribe vitamins or other dietary supplements.

Tips for helping a person with dementia to eat well

- Don't feel you need to prepare elaborate meals it is probably better to devote your energy to ensuring that the person eats and enjoys their food.
- If the person is restless or has a poor appetite, they may find frequent small meals or nutritious snacks more tempting than large meals.
- Dementia affects people's sense of taste. You may need to offer sauces or seasoning that the person did not use before.
- However, make sure that the person does not use seasonings such as salt or chilli excessively.
- Make sure that food and drinks are not too hot to serve people with dementia may lose the ability to judge temperature.
- Encourage the person to drink enough liquid each day. Too little liquid can lead to dehydration, which can make the person more confused. A rough guide is at least eight cups of liquid a day.

A healthy diet

It is important to encourage the person to eat a balanced diet. If they are lacking certain essential nutrients, they may become ill or more confused. The government guidelines for a healthy diet are:

- Enjoy your food.
- · Eat a variety of foods.
- Eat the right amount to be a healthy weight.



- Eat plenty of foods rich in starch and fibre.
- Eat plenty of fruit and vegetables (at least five portions a day).
- Don't eat too many foods that contain a lot of fat.
- Don't have sugary foods and drinks too often.
- Don't eat too many foods high in salt, and cut down on the amount of salt added in cooking and at the table.

Further information

For further information about dementia, eating and nutrition please see the Society's 'Food for Thought' booklets: *Finger food ideas, Top tips for carers* and *Eating and nutrition*.

Carers' advice sheet 511

Last updated: November 2005 Last reviewed: August 2007